Taizhou Boli Adhesive Co.,Ltd;

 Tel. for Information: +86-576-2669667
 Fax for Information: +86-576-2669665

 Date Prepared: 03/17/07
 Issue Number: 05 01/10/08
 Last Update: 01/10 01/10/08
 Status: Uncontrolled 01/10
 Page 1 of 3 01/10/08

Material Safety Data Sheet

1. Chemical Product / Company Identification

Product Name: Cyanoacrylate Adhesive

Product Type: a-cyanoacrylate

Molecular formula: C6H7NO2

2. Composition and Information on Harmful Ingredients

Ingredients	CAS No.	OSHA PEL	ACGIH TLV	Other Limits	Composition %
a-cyanoacrylate	e 15802-18-3	N/A	N/A	N/A	95-99
PMMA 90	11-14-7	N/A	N/A	N/A	3-5

3. Hazards Identification

Label Precautionary Statements: IRRITANT

Irritating to eyes, skin and respiratory system

Contains cyanoacrylate. Bonds skin and eyes in seconds

Primary Routes of Entry: Not known

Symptoms of Exposure: Vapour highly irritating to eyes and breathing. Prolonged exposure

to excessive amounts may lead to non-allergic asthma.

Medical Conditions

Aggravated by Exposure: No applicable information found

Estimated NFPA® Code: Health Hazard: 2

Fire Hazard: 2

Reactivity Hazard: 2

Spe cific hazard: Does not apply

Ethyl cyanoacrylate is not listed as a carcinogen in the US National Toxicology Program Annual report on carcinogens, or by the International Agency for Research on Cancer.

4. First Aid Measures

Ingestion: Inges tion not likely due to polymerisation

Inhalation: Remove to fresh air, if symptoms continue seek medical advice

Skin contact: Soak in warm soapy water, do not prise apart.

Eye contact: Flush with copious volumes water, seek immediate medical

attention.

5. Fire Fighting Measures

Flash Point: > 81°C

Taizhou Boli Adhesive Co., Ltd; Tel. for Information: +86-576-2669667 Fax for Information: +86-576-2669665 Date Prepared: Last Update: 01/10 Status: Uncontrolled Issue Number: 05 Page 2 of 3 01/10/08 03/17/07 Water spray, foam, dry chemical or carbon dioxide. Extinguishing media: Special Fire fighting procedures: Fire-fighters should wear self contained breathing apparatus. Unusual fire / explosion hazards: No applicable information found Hazardous thermal decomposition products: rritating organic vapours may be formed. Accidental Release Measures Ventilate area of spill; flood slowly with water to polymerise, absorb with sand / earth and dispose to chemical waste bin. Dispose in accordance with pertinent national legislation. Handling and Storage When using large volumes ensure that operational area is well ventilated. Store between 5-25°C; avoid strong light and heat sources. Incompatible with amine, bases, water. Avoid skin contact and inhalation of vapour. **Exposure Control and Personal Protection** Safety goggles / glasses suitable for use with chemicals. Eye Protection: Always use appropriate Filter Mask / Respirator (NIOSH / Respiratory Protection: MSHA Approved) Nitrile / polyethylene gloves, coveralls, avoid cotton Skin Protection: products Ventilation: Good general or local exhaust ventilation are required for usage. Physical and Chemical Properties Liquid Form: Colour: Clear Odour: rritating Immiscible in water Solubility in water: Boiling Point: 00°C >1

Boiling Point: >1 00°C Specific Gravity @ 25°C: 1.05

Vapour Pressure @ 25°C: <0.5 mm Hg

Flash Point: >81°C

10. Reactivity and Stability

Stability: St able

Hazardous polymerisation: Will not occur

Incompatibility: Water and any basic substance

Conditions to avoid:

No applicable information found

Hazardous decomposition

Taizhou Boli Adhesive Co.,Ltd;								
Tel. for Information: +86-576-2669667		Fax for Information: +86-576-2669665						
Date Prepared:	Issue Number: 05	Last Update: 01/10	Status: Uncontrolled	Page 3 of 3				
03/17/07		01/10/08						

Products (non-thermal): No applicable information found

11. Toxicological information

Estimated oral LD50: >5000 mg kg Estimated dermal LD50: >2000 mg kg

Causes Severe Irritation.

High concentrations are destructive to tissues of the mucous membranes and the upper respiratory tract.

12. Ecological Information

no applicable information found

13. Disposal Considerations

Liquid / polymeric cyanoacrylates must be disposed of in accordance with the China Environmental Protection Act 1990, or other relevant / local legislation outside China.

14. Transportation Information

Not considered hazardous for the purposes of transportation.

15. Regulatory Information

No hazardous chemicals are known to be present.

16. Other Information

The information contained within this MSDS applies only to the boli product to which the sheet relates. The information provided is based on our best knowledge at the time of issue.

The information contained within this MSDS is believed to be accurate and is given in good faith. However no warranty is made, either express or implied, regarding its accuracy or any liability arising out of the use of the information herein or the products supplied.

When used in other preparations, formulations, or in mixtures, it is necessary to ascertain whether the classification of the hazards have changed. The attention of the user is drawn to the possibility of creating other hazards when the product is used for purposes other than that for which it was recommended. In such cases a reassessment may be necessary and should be made by the user.

This safety data sheet should only be used and reproduced in order that the necessary measures are taken relating to the protection of health and safety at work.

It is the responsibility of the handlers to pass on the totality of the information contained within this document to any subsequent person(s) who will come in to contact with, handle or use this product in any way.

They should check the adequacy of the information provided within this MSDS before passing it on to their customers / staff.

END OF DOCUMENT